

## BU254-25 and BU256-25: Stainless Banding Buckles



### Features:

- The unique teeth and ears provide maximum clamping force
- Sold in convenient 25 packs
- Stainless Steel construction

Part #	Size	U of M
BU254-25	1/2"	25 pack
BU256-25	3/4"	25 pack

## BU254-25 and BU256-25: Stainless Banding Buckles

### *Specification Sheet for BU254*

Our Type 201 stainless steel buckle meets all ASTM-A666 standards including, but not limited to, its chemical composition requirements of carbon, manganese, phosphorus, sulfur, silicon, chromium, and nickel. They are made of fully annealed stainless steel material.

These buckles are made in the U.S.A.

Our BU254 stainless steel buckles can be further described as:

Finish: stainless bright or matte

Thickness: .050"

Width: 1/2"

Pieces per box: 100

Tensile Strength: 95,000 psi



## BU254-25 and BU256-25: Stainless Banding Buckles

### *Specification Sheet for BU256*

Our Type 201 stainless steel buckle meets all ASTM-A666 standards including, but not limited to, its chemical composition requirements of carbon, manganese, phosphorus, sulfur, silicon, chromium, and nickel. They are made of fully annealed stainless steel material.

These buckles are made in the U.S.A.

Our BU256 stainless steel buckles can be further described as:

Finish: stainless bright or matte

Thickness: .070"

Width: 3/4"

Pieces per box: 100

Tensile Strength: 95,000 psi

